



WIN*
RM 1,000!

Join our photo contest now!
*T&C Apply More info: suzuka.com.my/promotion



WALL FINISH PROFESSIONALS
TAIWAN • MALAYSIA • THAILAND



BRICK & STONE VENEER • TEXTURED PAINT • KASTPANEL • ECES • TEXTURE COATING • PEBBLE STONE COATING



suzuka.com.my
  **suzuka.group** | **Hotline : +6012-258 7388**

* Photos of the products shown in this catalogue may vary in color due to lighting condition & printing. We suggest you examine actual product samples before ordering.



LINNEN-E1-2305



Strato:
LINNEN

INTERIOR
TEXTURED
PAINTS



EDITION
01

Strato: LINNEN

Linnen is designed to add depth, quality and character to any room, it creates a rich look that is also subtle and soft on the eyes. Not only does our texture paint add an aesthetic element to your walls, it also provides a practical benefit by hiding imperfections and flaws.

Made from high-quality materials, our texture paint is available in a range of colors, allowing you to achieve the perfect look for your space. Our paint is also easy to apply, making it the perfect choice for both professional painters and DIY enthusiasts.



• INTERIOR USE ONLY



Features

- Crack Resistant 
- Low VOC & Odor 
- Formaldehyde & Lead Free 
- Green Choice, Water Based & Eco-friendly 
- Easy Application & DIY Friendly 
- Anti-chalking & Efflorescence 
- Applicable on Ceiling 
- Easy Maintenance 
- Easy to Touch Up 
- Matte Finishing 

STL-901
Ivory Cream



STL-901

IVORY
CREAM



STL-902

MAGNOLIA
CREAM

STL-902
Magnolia Cream



STL-903 ▶
Sandy Beige



STL-903

SANDY
BEIGE





STL-904


RIVER
GREY



STL-906


FROST
GREY

STL-906 ▶
Frost Grey



STL-905

FOG
GREY



▲ STL-904
River Grey


▲ STL-905
Fog Grey



STL-907 ▲
Thunder Grey

STL-907

THUNDER
GREY




◀ **STL-908**
Smokey Grey



STL-908
SMOKEY
GREY

STL-911

ROSE
TINT



▲ **STL-909**
Lead Grey

STL-909
LEAD
GREY



STL-910
TAUPE
CREPE



▲ **STL-910**
Taupe Crepe



▲ **STL-911**
Rose Tint

STL-912

BURNT ORANGE




◀ **STL-912**
Burnt Orange

APPLICATION TECHNIQUE



APPLICATION VIDEO


Preparation: - Cover the edges of surface that won't be painted by masking it with tape, paper or plastic.
- Clean up the wall surface to ensure it is free from dirt and dust.



1 PRIMER

Roll 2 layers of primer on the entire surface.
Allow 30 minutes to dry between the layers.
(The primer can be diluted with maximum 5% of clean water)

Tool: Paint Roller




2 TEXTURE COAT

Texture Coat (First Layer)

Roll texture coat randomly on the surface. Ensure the whole surface is covered. Let dry.

Tool: Linnen Texture Roller



Texture Coat (Second Layer)

Roll texture coat randomly on the surface. Let dry.

Tool: Linnen Texture Roller

IMPORTANT:
Color may vary on application technique & amount of material used.

Tools:



Paint Roller



Linnen Texture Roller



PACKING DATA

1 L	Primer	Coverage (per set)	9 - 10 sqm (Application on Wall & Ceiling)
2 L	Texture Coat		

* Linnen Texture Roller is sold separately